


US Serial No. 10/552655  
Page 4 of 21

In the Claims:

1.(canceled)

2.(canceled)

3.(previously presented) A fragrance composition comprising as a fragrance ingredient a carbamate of formula (I)



wherein

$\text{R}^1$  and  $\text{R}^2$  are independently selected from the group consisting of:

- (a)  $\text{C}_1$  to  $\text{C}_{11}$  alkyl;  $\text{C}_3$  to  $\text{C}_{11}$  alk-(>1)-enyl; or  $\text{C}_2$  to  $\text{C}_{11}$  alkynyl group; and
- (b) cycloalkyl optionally substituted with alkyl, alkenyl and alkoxy group(s);  $\text{C}_3$  to  $\text{C}_8$  cycloalkenyl optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenyl or naphthyl optionally substituted with alkyl, alkenyl and alkoxy group(s); and
- (c)  $\text{C}_4$  to  $\text{C}_{14}$  cycloalkylalkyl, wherein the cycloalkyl ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenylalkyl or naphthylalkyl, wherein the aromatic ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); and

$\text{R}$  is selected from the group consisting of:

- (a)  $\text{C}_1$  to  $\text{C}_{11}$  alkyl;  $\text{C}_3$  to  $\text{C}_{11}$  alk-(>1)-enyl; or  $\text{C}_2$  to  $\text{C}_{11}$  alkynyl group; and
- (b) cycloalkyl optionally substituted with alkyl, alkenyl, and alkoxy group(s);  $\text{C}_3$  to  $\text{C}_8$  cycloalkenyl optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenyl or naphthyl optionally substituted with alkyl, alkenyl and alkoxy group(s); and
- (c)  $\text{C}_4$  to  $\text{C}_{14}$  cycloalkylalkyl, wherein the cycloalkyl ring is optionally substituted with alkyl, alkenyl and alkoxy group(s);  $\text{C}_4$  to  $\text{C}_{14}$  cycloalkenylalkyl, wherein the cycloalkenyl ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenylalkyl or naphthylalkyl, wherein the aromatic ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); and
- (d)  $\text{C}_5$  to  $\text{C}_{14}$  cycloalkylalkoxyalkyl, wherein the cycloalkyl ring is optionally substituted with alkyl, alkenyl and alkoxy group(s);  $\text{C}_5$  to  $\text{C}_{14}$  cycloalkenylalkoxyalkyl, wherein the

US Serial No. 10/552655  
Page 5 of 21

cycloalkenyl ring is optionally substituted with alky, alkenyl and alkoxy group(s); or phenylalkoxyalkyl or naphthylalkoxyalkyl, wherein the aromatic ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); and


(e) heteroaromatic ring optionally substituted with alkyl, alkenyl and alkoxy group(s); heteroarylalkyl ring optionally substituted with alkyl, alkenyl and alkoxy group(s); heterocyclic ring optionally substituted with alkyl, alkenyl and alkoxy group(s) or heterocycloalkyl ring optionally substituted with alkyl, alkenyl and alkoxy group(s); and the ring having 5 to 6 ring members and the hetero atom of the ring is oxygen or nitrogen; and

R, R<sup>1</sup> and R<sup>2</sup> having together 7 to 18 carbon atoms.

4.(canceled)

5.(currently amended)

A compound of formula (I)



wherein the groups R, R<sup>1</sup> and R<sup>2</sup> are selected according to the following table:

| R   | R <sup>1</sup>    | R <sup>2</sup> |
|---|-------------------|----------------|
| hex-3-enyl  | ethyl             | ethyl          |
| 2-ethyl-hexyl   | methyl            | methyl         |
| methyl  | ethyl             | methyl-tolyl   |
| methyl  | ethyl             | ethyl-tolyl    |
| 3-methyl-but-2-enyl   | ethyl             | ethyl          |
| 3-methyl-but-3-enyl   | ethyl             | ethyl          |
| hex-3-enyl  | methyl            | iso-propyl     |
| 2,2,5-trimethyl-hex-4-enyl  | ethyl             | ethyl          |
| undec-10-enyl   | methyl            | methyl         |
| 2-ethyl-hexyl   | methyl            | iso-propyl     |
| 2-ethyl-hexyl   | ethyl             | iso-propyl     |
| <del>R and R<sup>1</sup> together with the atoms to which they are attached</del> | <del>pentyl</del> |                |

US Serial No. 10/552655  
Page 6 of 21

~~is 4-Methyl-oxazolidyl-2-one~~

|  |        |        |
|--|--------|--------|
| 1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-ethyl          | methyl | methyl |
| 1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-methyl         | methyl | methyl |
| ethyl  | methyl | hexyl  |
| 2-methyl-propyl  | methyl | butyl  |
| 2-methyl-propyl  | ethyl  | butyl  |
| 1,2-dimethyl-1-propyl-propyl                           | methyl | methyl |
| 1,2-dimethyl-1-propyl-iso-propyl                       | methyl | methyl |
| 2-ethoxy-phenyl  | methyl | methyl |
| 2-[1-(3,3-dimethyl-cyclohexyl)-ethoxy]-2-methyl-propyl | methyl | methyl |
| 2-[1-(3,3-dimethyl-cyclohexyl)-ethoxy]-2-methyl-propyl | ethyl  | ethyl  |
| furylmethyl  | ethyl  | ethyl  |


6.(canceled)

7.(currently amended) A method of manufacturing a fragrance application, comprising the incorporation as fragrance ingredient of a tertiary non-vinylic carbamate according to claim 34.

8.(previously presented) A method of claim 7 wherein the fragrance application is selected from the group consisting of perfume, household product, laundry product, body care product and cosmetics.

9.(canceled)

10.(currently amended) A fragrance composition according to claim 34 comprising as a fragrance ingredient a compound selected from a compound according to formula (I)




wherein the groups R, R<sup>1</sup> and R<sup>2</sup> are selected according to the following table:

US Serial No. 10/552655


Page 7 of 21

| R   | R <sup>1</sup>    | R <sup>2</sup> |
|---|-------------------|----------------|
| hex-3-enyl  | ethyl             | ethyl          |
| 2-ethyl-hexyl   | methyl            | methyl         |
| methyl  | ethyl             | methyl-tolyl   |
| methyl  | ethyl             | ethyl-tolyl    |
| 3-methyl-but-2-enyl   | ethyl             | ethyl          |
| 3-methyl-but-3-enyl   | ethyl             | ethyl          |
| hex-3-enyl  | methyl            | iso-propyl     |
| 2,2,5-trimethyl-hex-4-enyl  | ethyl             | ethyl          |
| undec-10-enyl   | methyl            | methyl         |
| 2-ethyl-hexyl   | methyl            | iso-propyl     |
| 2-ethyl-hexyl   | ethyl             | iso-propyl     |
| <del>R and R<sup>1</sup> together with the atoms to which they are attached</del> | <del>pentyl</del> |                |
| is-4-Methyl-exazolidyl-2-one  |                   |                |
| 1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-ethyl                                     | methyl            | methyl         |
| 1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-methyl                                    | methyl            | methyl         |
| ethyl   | methyl            | hexyl          |
| 2-methyl-propyl   | methyl            | butyl          |
| 2-methyl-propyl   | ethyl             | butyl          |
| 1,2-dimethyl-1-propyl-propyl  | methyl            | methyl         |
| 1,2-dimethyl-1-propyl-iso-propyl  | methyl            | methyl         |
| 2-ethoxy-phenyl   | methyl            | methyl         |
| 2-[1-(3,3-dimethyl-cyclohexyl)-ethoxy]-2-methyl-propyl                            | methyl            | methyl         |
| 2-[1-(3,3-dimethyl-cyclohexyl)-ethoxy]-2-methyl-propyl                            | ethyl             | ethyl          |
| furylmethyl   | ethyl             | ethyl          |


11.(currently amended) A fragrance composition according to claim 34 comprising as a fragrance ingredient a compound selected from the group consisting of



US Serial No. 10/552655  
Page 8 of 21



and



12.(currently amended) A method of manufacturing a fragrance application, comprising the incorporation as fragrance ingredient of a carbamate according to claim 112.

13.(previously presented) A method of claim 12 wherein the fragrance application is selected from the group consisting of perfume, household product, laundry product, body care product and cosmetics.

14.(currently amended) A method of manufacturing a fragrance application, comprising the incorporation as fragrance ingredient of a carbamate according to claim 103.

15.(previously presented) A method of claim 14 wherein the fragrance application is selected from the group consisting of perfume, household product, laundry product, body care product and cosmetics.

16.(canceled)

US Serial No. 10/552655  
Page 9 of 21

17.(canceled)

18.(previously presented) A method of manufacturing a fragrance application, comprising the incorporation as fragrance ingredient of a compound of formula (I) according to claim 5.

19.(previously presented) A method of claim 18 wherein the fragrance application is selected from the group consisting of perfume, household product, laundry product, body care product and cosmetics.